8/22/01

Examiner Vo,

Re: 09/542,640 US 5,930,744

Attached are search results.

No litigation was found in searches of Dialog, Lexis-Nexis and Questel-Orbit databases.

If more searching or explanation is needed, please let me know.

Thanks,
Jeff Harrison
STIC-EIC2800
306-5429
CP4-9C18

Needs Today, Wednesday 4:00 PM

SEARCH REQUEST FORM **Scientific and Technical Information Center - EIC2800**

Rev. 11/20/00 This is an experimental format -- Please give suggestions or comments to Jeff Harrison, CP4-9C18, 306-5429.

Date 8/22/01 Serial # 09542640 Case Priority Date _____

Your Name Hien Vo Examiner # 72796

AU 2857 Phone 30_____ Room 8B14

In what format would you like your results? Paper is the default. PAPER DISK EMAIL

If submitting more than one search, please prioritize in order of need.

The EIC searcher normally will contact you before beginning a prior art search. Would you like to sit with the EIC searcher in a mediated interactive search? Yes / No _____

Where have you searched so far on this case?
Circle: USPT DWPI EPO Abs JPO Abs IBM TDB
Other:_____

What relevant art have you found so far? Please attach pertinent citations or Information Disclosure Statements. _____

What types of references would you like? Please checkmark:

Primary Refs ___ Nonpatent Literature ___ Other Litig
Secondary Refs ___ Foreign Patents ___
Teaching Refs ___

What is the topic, such as the **novelty**, motivation, utility, or other specific facets defining the desired **focus** of this search? Please include the concepts, elected species, structures, synonyms, keywords, acronyms, registry numbers, definitions, strategies, and anything else that helps to describe the topic. Please attach a copy of the abstract and pertinent claims:

Litigation Search

****

STAFF USE ONLY

Searcher Jeff Harrison/Derrick Blalock
Searcher Phone 306-5429
Searcher Location CP4-9C18
Date Searcher Picked Up 8-22-01
Date Completed 8-22-01
Searcher Prep/Rev Time 20
Online Time 10

Type of Search

Structure (#)_____
Bibliographic_____
Litigation L
Fulltext_____
Patent Family_____
Other_____

Vendors

STN_____
Dialog X
Questel/Orbit_____
Lexis-Nexis X
WWW/Internet_____
Other_____

*Pat. No. 5930744, **

5,930,744

◆ GET 1st DRAWING SHEET OF 5

Jul. 27, 1999

Coating thickness gauge

REISSUE: Reissue Application filed Apr. 3, 2001 (O.G. Jun. 5, 2001) Ex. Gp.: 2857; Re. S.N. 09/542,640

INVENTOR: Koch, Frank J., Ogdensburg, New York
Vandervalk, Leon C., Brockville, Canada
Beamish, David J., Brockville, Canada

ASSIGNEE-AT-ISSUE: Defelsko Corporation, Ogdensburg, New York (02)

APPL-NO: 529,137

FILED: Sep. 15, 1995

INT-CL: [6] G06F 15#52; G01N 23#203

US-CL: 702#170; 702#155; 324#229; 324#230

CL: 702;324

SEARCH-FLD: 364#563, 560, 550, 920, 921.8; 324#230, 229; 702#155, 170

REF-CITED:

U.S. PATENT DOCUMENTS

4,046,994	9/1977	*	Prohaska	235#61.11A
4,059,904	11/1977	*	Sato	33#126.7A
4,079,237	3/1978	*	Schlesinger	364#563
4,155,009	5/1979	*	Lieber et al.	250#308
4,266,875	5/1981	*	Bodlaj	356#381
4,389,706	6/1983	*	Gomola et al.	364#130
4,715,007	12/1987	*	Fujita	364#563
4,742,879	5/1988	*	Leifeld	177#50
4,791,706	12/1988	*	Wiening et al.	19#105
4,863,037	9/1989	*	Stevens et al.	209#3.1
4,919,967	4/1990	*	Handke et al.	427#8
4,934,309	6/1990	*	Ledermann et al.	118#50
4,962,569	10/1990	*	Hosel	19#106R
4,967,381	10/1990	*	Lane et al.	364#551.01
4,974,166	11/1990	*	Maey et al.	364#478
4,982,477	1/1991	*	Hosel	19#0.25

QUESTEL.ORBIT (TM) 1998 22/08/01 21*31*48

WELCOME to QUESTEL.ORBIT-Your Guide to INTELLECTUAL PROPERTY

Selected file: PAST

You are now connected to PAST, (c) Derwent Information Ltd
Covers 1973 thru weekly update (2001-33)
Information on technical content of this file, see INFO PAST

Search statement 1

?nbr /pn 5930744

1	1	5930717
2	1	5930721
3	1	5930730
4	1	5930731
5	1	5930744
6	1	5930755
7	1	5930763
8	8	5930769

?prt fu

1/1 PAST - (C) PAST
AN - 200123-001312
PN - 5930744 A [US5930744]
DT - A (UTILITY)
OG - 2001-06-05
CO - REA
ACT - REISSUE APPLICATION FILED
SH - REISSUE APPLICATION FILED

Selected file: CRXX

CRXX (CLAIMS Current Legal Status)
Legal Status actions current thru August 14, 2001 (2001-33/UP)
Reassignment data current as of June 8, 2001.

?nbr /pn 5930744

1	1	5930721
2	1	5930730
3	1	5930731
4	1	5930735
5	1	5930744
6	1	5930755
7	1	5930763

1/1 CRXX - (C) CLAIMS/RRX
AN - 3177499
PN - 5,930,744 D 19990727 [US5930744]
PT - E (Electrical)
PA - DeFelsko Corp
ACT - 20010403 REISSUE REQUESTED
ISSUE DATE OF O.G.: 20010605
REISSUE REQUEST NUMBER: 09/542640
EXAMINATION GROUP RESPONSIBLE FOR REISSUEPROCESS: 2857

Reissue Patent Number:

UP - 2001-23
UACT- 2001-06-05

Selected file: LGST

You are now connected to LGST
Current thru weekly updates (2001-32)

?nbr /pn 5930744

1	2	59307435
2	2	59307437
3	2	59307438
4	2	59307439
5	1	5930744
6	2	59307440
7	2	59307441

1/1 LGST - (C) LEGSTAT
PN - US 5930744 [US5930744]
AP - US 529137/95 19950915 [1995US-0529137]
DT - US-P
ACT - 19950915 US/AE-A
APPLICATION DATA (PATENT)
{US 529137/95 19950915 [1995US-0529137]}
- 19990727 US/A
PATENT
- 20010605 US/RF
REISSUE APPLICATION FILED
20010403
UP - 2001-23

Selected file: LITA

You are now connected to LitAlert,(c) Derwent Information Ltd
Covers 1970 thru weekly update (2001-33)
For technical content information : see INFO LITA

Search statement 1

?nbr /pn 5930744

1	1	5926883
2	3	5927096
3	1	5927231
4	1	5928504
5	1	5929967
6	1	5930769
7	1	5930946
8	1	5931120
9	1	5935503
10	1	5935660
11	2	5935670
12	2	5936702

?/pn 5930744

Term not in index/PN : 5930744
** SS 1: Results 0

09/542,640 8/22/01

```
? t s1/39/1


 1/39/1
DIALOG(R)File 345:Inpadoc/Fam.& Legal Stat
(c) 2001 EPO. All rts. reserv.

13303912
Basic Patent (No,Kind,Date): GB 9619032 A0 19961023   <No. of Patents: 005>
Patent Family:
    Patent No    Kind  Date      Applic No    Kind  Date
    DE 19637064     A1  19970320    DE 19637064     A   19960912
    GB 9619032      A0  19961023    GB 9619032      A   19960912  (BASIC)
    GB 2305251      A1  19970402    GB 9619032      A   19960912
    US 5751608      A   19980512    US 529137       A   19950915
    US 5930744      A   19990727    US 529137       A   19950915
Priority Data (No,Kind,Date):
    US 529137 A  19950915

PATENT  FAMILY:
GERMANY (DE)
  Patent (No,Kind,Date):  DE 19637064  A1  19970320
    BESCHICHTUNGSDICKENMESSVERFAHREN SOWIE -VORRICHTUNG (German)
    Patent Assignee:  DEFELSKO CORP  (US)
    Author (Inventor):  KOCH FRANK J  (US); VANDERVALK LEON C  (CA);
      BEAMISH DAVID J  (CA)
    Priority (No,Kind,Date):  US 529137  A   19950915
    Applic (No,Kind,Date):  DE 19637064  A   19960912
    IPC: *  G01B-007/02; G01B-021/00
    Derwent WPI Acc No: *  G  97-181161; G  97-181161
    Language of Document:  German

GERMANY (DE)
  Legal Status (No,Type,Date,Code,Text):
    DE 19637064     P   19950915  DE AA        PRIORITY (PATENT
                            APPLICATION)  (PRIORITAET (PATENTANMELDUNG))

                            US 529137  A   19950915
    DE 19637064     P   19960912  DE AE        DOMESTIC APPLICATION (PATENT
                            APPLICATION)  (INLANDSANMELDUNG
                            (PATENTANMELDUNG))
                            DE 19637064  A   19960912
    DE 19637064     P   19970320  DE A1        LAYING OPEN FOR PUBLIC
                            INSPECTION  (OFFENLEGUNG)

GREAT BRITAIN (GB)
  Patent (No,Kind,Date):  GB 9619032  A0  19961023
    COATING THICKNESS GAUGE (English)
    Patent Assignee:  DEFELSKO CORP
    Priority (No,Kind,Date):  US 529137  A   19950915
    Applic (No,Kind,Date):  GB 9619032  A   19960912
    Derwent WPI Acc No: *  G  97-181161
    Language of Document:  English
  Patent (No,Kind,Date):  GB 2305251  A1  19970402
    COATING THICKNESS GAUGE (English)
    Patent Assignee:  DEFELSKO CORP  (US)
    Author (Inventor):  KOCH FRANK J; VANDERVALK LEON C; BEAMISH DAVID J
```

Priority (No,Kind,Date): US 529137 A 19950915
Applic (No,Kind,Date): GB 9619032 A 19960912
National Class: * G1N NCTS CTS; G1N N19B2F CTS; G1N N19H7B3 CTS; G1N N19X1 CTS; G1N N19X7 CTS
IPC: * G01D-009/02; G01B-021/02
Derwent WPI Acc No: * G 97-181161
Language of Document: English

GREAT BRITAIN (GB)
Legal Status (No,Type,Date,Code,Text):

GB 2305251	P	19950915	GB AA	PRIORITY (PATENT) US 529137 A 19950915
GB 2305251	P	19960912	GB AE	APPLICATION DATA (APPL. DATA) GB 9619032 A 19960912
GB 2305251	P	19970402	GB A1	APPLICATION PUBLISHED (APPL. PUBLISHED)
GB 2305251	P	20000621	GB WAP	APPLICATION WITHDRAWN, TAKEN TO BE WITHDRAWN OR REFUSED ** AFTER PUBLICATION UNDER SECTION 16(1) (APPL. WITHDRAWN, TAKEN TO BE WITHDRAWN OR REFUSED ** AFTER PUB. UNDER SECT. 16(1))

UNITED STATES OF AMERICA (US)
Patent (No,Kind,Date): US 5751608 A 19980512
COATING THICKNESS GAUGE (English)
Patent Assignee: DEFELSKO CORP (US)
Author (Inventor): KOCH FRANK J (US); VANDERVALK LEON C (CA); BEAMISH DAVID J (CA)
Priority (No,Kind,Date): US 529137 A 19950915
Applic (No,Kind,Date): US 529137 A 19950915
National Class: * 364563000; 364560000; 364550000; 364920000; 364921800; 324229000; 324230000
IPC: * G06F-015/52; G01N-023/203
Derwent WPI Acc No: * G 97-181161
Language of Document: English

Patent (No,Kind,Date): US 5930744 A 19990727
COATING THICKNESS GAUGE (English)
Patent Assignee: DEFELSKO CORP (US)
Author (Inventor): KOCH FRANK J (US); VANDERVALK LEON C (CA); BEAMISH DAVID J (CA)
Priority (No,Kind,Date): US 529137 A 19950915
Applic (No,Kind,Date): US 529137 A 19950915
National Class: * 702170000; 702155000; 324229000; 324230000
IPC: * G06F-015/52; G01N-023/203
Derwent WPI Acc No: * G 97-181161
Language of Document: English

UNITED STATES OF AMERICA (US)
Legal Status (No,Type,Date,Code,Text):

US 5751608	P	19950915	US AE	APPLICATION DATA (PATENT) (APPL. DATA (PATENT)) US 529137 A 19950915
US 5751608	P	19980512	US A	PATENT
US 5751608	P	20000718	US WDR	PATENT WITHDRAWN ACCORDING TO LISTING ISSUED BY THE USPTO ON PRS-DATE
US 5751608	P	20010515	US DJ	ALL REFERENCES SHOULD BE DELETED, NO PATENT WAS GRANTED
US 5930744	P	19950915	US AE	APPLICATION DATA (PATENT) (APPL. DATA (PATENT)) US 529137 A 19950915
US 5930744	P	19990727	US A	PATENT
US 5930744	P	20010605	US RF	REISSUE APPLICATION FILED

No Documents Found

No documents were found for your search (**5930744 or 5,930,744**). Please edit your search and try again. You may want to try one or more of the following:

- Check for spelling errors.
- Remove some search terms.
- Use more common search terms.
- If applicable, look for all dates.

Edit Search





All Sources > Area of Law - By Topic > Patent Law > Law Reviews & Journals > **Intellectual Property Law Review Articles**





All Sources > Area of Law - By Topic > Patent Law > Law Reviews & Journals > **Harvard Journal of Law & Technology**





All Sources > Area of Law - By Topic > Patent Law > Law Reviews & Journals > **Journal of Law and Technology**





Search | Search Advisor | Get a Document | Check a Citation
Eclipse(TM) | History | Practice Area Pages | Change Client | Options | Feedback | Signoff | Help
About LexisNexis | Terms and Conditions



Source: All Sources > News > News Group File, All
Terms: defelsko (Edit Search)

Machine Design November 2, 2000

November 2, 2000

SECTION: No. 21, Vol. 72; Pg. 126 ; ISSN: 0024-9114

IAC-ACC-NO: 67320497

LENGTH: 128 words

HEADLINE: PROBES HELP MEASURE THICK COATINGS; Brief Article

BODY:
DeFelsko Corp., Ogdensburg, N.Y., offers three probes for the PosiTector 6000 Series of handheld coating-thickness gages. The fully interchangeable probes measure coatings as thick as a quarter inch on ferrous, nonferrous, or both ferrous and nonferrous metals. Protective tank linings, thick paint coatings, fireproofing, and epoxies can be measured. The complete line of PosiProbes connect, interchange, and reconnect to the PosiTector 6000 Series to cover applications from thin paint, powder, or plating on hard-to-reach surfaces to thick protective coatings and linings on tanks and structural steel. Only two buttons are needed to operate gage features and functions including statistical-data display and download of readings to a printer or computer.

IAC-CREATE-DATE: November 29, 2000

LOAD-DATE: November 30, 2000

Source: All Sources > News > News Group File, All
Terms: defelsko (Edit Search)
View: Full
Date/Time: Wednesday, August 22, 2001 - 3:45 PM EDT

Source: All Sources > News > **News Group File, All**
Terms: **defelsko** (Edit Search)

NDT UPDATE August, 2000

NDT UPDATE

August, 2000

SECTION: EDDY CURRENT; Vol. 9, No. 8

LENGTH: 307 words

HEADLINE: Electronic Coating Thickness Gage

BODY:

DeFelsko Corp. has announced the availability of three new probes for use with their PosiTector 6000 series hand-held coating thickness gages. The PosiTector 6000 is a rugged, fully electronic gage using magnetic and eddy current principles to measure coating thickness on ferrous and non-ferrous metals. The gage has instant automatic setup, auto power-up on built-in probe gages, auto power-down, an average zero feature that can zero on rough substrates, and a reset feature that instantly restores factory settings.

The new fully interchangeable probes are specifically designed for measuring thick coatings, up to 6 mm/250 mils on ferrous [FTS], non-ferrous [NTS], or both ferrous and non-ferrous [FNTS] metals. Protective tank linings, thick paint coatings, fireproofing, epoxies, and much more can now be measured on all metals using one of these new probes with a PosiTector 6000 gage.

These and the remainder of **DeFelsko's** complete line of PosiProbes can be connected, interchanged, and reconnected to the PosiTector 6000 Series. It is possible, therefore, to measure nearly any coating thickness application, from thin paint, powder, or plating on small or hard-to-reach surfaces to thick protective coatings and linings on tanks and structural steel.

The PosiTector 6000 series coating thickness gages measure coatings on metals accurately and easily. Only two buttons are necessary to operate even the most sophisticated features and functions of the gage, including statistical data display on the gage's backglow LCD, and downloading coating thickness readings to a printer or computer.

Contact: **DeFelsko** Corp., PO Box 676, 802 Proctor Ave., Ogdensburg, NY 13669; Tel: 800/448-3835 or 315/393-4450, Fax: 315/393-8471, Email: techsale@**defelsko.**com , Website: **defelsko.**com .

LOAD-DATE: September 5, 2000

Source: All Sources > News > **News Group File, All**
Terms: **defelsko** (Edit Search)
View: Full
Date/Time: Wednesday, August 22, 2001 - 3:46 PM EDT